

Author index

- Ågren, H., see Engström, M. 243 (1999) 263
Andrzejak, M., see Petelenz, P. 243 (1999) 149
Bacis, R., see Inard, D. 243 (1999) 305
Barford, W., see Bursill, R.J. 243 (1999) 35
Bielschowsky, C.E., see Rocha, A.B. 243 (1999) 9
Blaise, P. and O. Henri-Rousseau, Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation 243 (1999) 229
Brougham, D.F., A.J. Horsewill and H.P. Trommsdorff, A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds 243 (1999) 189
Buldyreva, J.V., see Kouzov, A.P. 243 (1999) 137
Burgess, J., see Sánchez, F. 243 (1999) 159
Bursill, R.J., W. Barford and H. Daly, Molecular orbital models of benzene, biphenyl and the oligophenylenes 243 (1999) 35
Buß, V., see Falzewski, S. 243 (1999) 179
Cacelli, I., see Carravetta, V. 243 (1999) 77
Cao, Z., H. Xian, W. Wu and Q. Zhang, An ab initio molecular orbital study of the electronic spectrum and dissociation features of Li_2F 243 (1999) 209
Carravetta, V. and I. Cacelli, Calculation of the differential photoionization cross-section of PH_3 243 (1999) 77
Cataliotti, R.S., see Marri, E. 243 (1999) 323
Cerny, D., see Inard, D. 243 (1999) 305
Cheche, T. and S.H. Lin, Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions 243 (1999) 123
Churassy, S., see Inard, D. 243 (1999) 305
Clade, J., see Engemann, C. 243 (1999) 61
Daly, H., see Bursill, R.J. 243 (1999) 35
De Castro, E.V.R., F.E. Jorge and J.C. Pinheiro, Accurate Gaussian basis sets for second-row atoms and ions generated with the improved generator coordinate Hartree–Fock method 243 (1999) 1
Descamps, M., see Kuchta, B. 243 (1999) 169
Dogra, S.K., see Krishnamoorthy, G. 243 (1999) 45
Engemann, C., R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen, X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of triorganophosphinechalcogenides 243 (1999) 61
Engström, M., O. Vahtras and H. Ågren, Hartree-Fock linear response calculations of g -tensors of substituted benzene radicals 243 (1999) 263

- Falzewski, S., F. Terstegen and V. Buß, Structure and dynamics of helically twisted cyanine dyes 243 (1999) 179
- Fort, A., J. Muller and L. Mager, Chain-length dependence of the optical properties of a series of push–pull polyenes: application to doped photorefractive polymers 243 (1999) 115
- Franke, R., see Engemann, C. 243 (1999) 61
- Giorgini, M.G., see Marri, E. 243 (1999) 323
- Grabowska, A., see Wortmann, R. 243 (1999) 295
- Graña, A.M. and R.A. Mosquera, Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones 243 (1999) 17
- Gu, Y., see Wang, B. 243 (1999) 27
- Haarer, D., see Müller, J. 243 (1999) 201
- Hartmann, E., see Engemann, C. 243 (1999) 61
- Henri-Rousseau, O., see Blaise, P. 243 (1999) 229
- Holland, D.M.P. and D.A. Shaw, A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene 243 (1999) 333
- Hormes, J., see Engemann, C. 243 (1999) 61
- Horsewill, A.J., see Brougham, D.F. 243 (1999) 189
- Hou, H., see Wang, B. 243 (1999) 27
- Ibuki, T., see Kanda, K. 243 (1999) 89
- Inard, D., D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov, $E0_g^+ \rightarrow A1_u$ and $E0_g^+ \rightarrow B''1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy 243 (1999) 305
- Jansen, M., see Engemann, C. 243 (1999) 61
- Jarosz, S., see Wortmann, R. 243 (1999) 295
- Jorge, F.E., see de Castro, E.V.R. 243 (1999) 1
- Kanda, K., T. Nagata and T. Ibuki, Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region 243 (1999) 89
- Kazaoui, S., see Petelenz, P. 243 (1999) 149
- Kharlamov, B.M., see Müller, J. 243 (1999) 201
- Khodykin, O.V., see Müller, J. 243 (1999) 201
- Kondo, A.E., A. Salam and W.J. Meath, On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms 243 (1999) 215
- Kosmas, A.M., see Papayannis, D. 243 (1999) 249
- Kouzov, A.P. and J.V. Buldyreva, Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium 243 (1999) 137
- Kownacki, K., see Wortmann, R. 243 (1999) 295
- Krishnamoorthy, G. and S.K. Dogra, Dual fluorescence of 2-(4'-N,N-dimethyl-aminophenyl)benzoxazole: effect of solvent and pH 243 (1999) 45
- Kuchta, B., M. Descamps and J.F. Willart, Reducing quasi-ergodicity in Monte Carlo simulations of the plastic phase of the cyanoadamantane crystal 243 (1999) 169
- Lauterbach, C., see Engemann, C. 243 (1999) 61
- Lebus, S., see Wortmann, R. 243 (1999) 295

- Lin, S.H., see Cheche, T. 243 (1999) 123
- López-Cornejo, P., see Sánchez, F. 243 (1999) 159
- Lozovoy, V.V., O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii, Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment 243 (1999) 97
- Mager, L., see Fort, A. 243 (1999) 115
- Marri, E., A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini, Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile 243 (1999) 323
- Meath, W.J., see Kondo, A.E. 243 (1999) 215
- Melissas, V.S., see Papayannis, D. 243 (1999) 249
- Minami, N., see Petelenz, P. 243 (1999) 149
- Morresi, A., see Marri, E. 243 (1999) 323
- Mosquera, R.A., see Graña, A.M. 243 (1999) 17
- Müller, J., O.V. Khodykin, D. Haarer and B.M. Kharlamov, Nonphotochemical hole burning in Zn-TBP/PMMA. Unusual burning kinetics and very narrow holewidth limit 243 (1999) 201
- Muller, J., see Fort, A. 243 (1999) 115
- Muriel, F., see Sánchez, F. 243 (1999) 159
- Nagata, T., see Kanda, K. 243 (1999) 89
- Nota, M., see Inard, D. 243 (1999) 305
- Paliani, G., see Marri, E. 243 (1999) 323
- Papayannis, D., A.M. Kosmas and V.S. Melissas, Ab initio calculations for (BrO)₂ system and quasiclassical dynamics study of BrO self-reaction 243 (1999) 249
- Petelenz, P., M. Andrzejak, S. Kazaoui and N. Minami, Temperature dependence of fullerene electroabsorption spectra – model calculations 243 (1999) 149
- Pinheiro, J.C., see de Castro, E.V.R. 243 (1999) 1
- Plonka, A., see Vlad, M.O. 243 (1999) 273
- Reis, H., see Wortmann, R. 243 (1999) 295
- Rocha, A.B. and C.E. Bielschowsky, Inner-shell excitations of water molecule 243 (1999) 9
- Rodríguez, A., see Sánchez, F. 243 (1999) 159
- Ross, J., see Vlad, M.O. 243 (1999) 273
- Salam, A., see Kondo, A.E. 243 (1999) 215
- Sánchez, F., A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo, Kinetic study of the electron transfer process between Ru(NH₃)₅pz²⁺ and S₂O₈²⁻ in water–cosolvent mixtures: a new component of reorganization energy 243 (1999) 159
- Sarkisov, O.M., see Lozovoy, V.V. 243 (1999) 97
- Shaw, D.A., see Holland, D.M.P. 243 (1999) 333
- Skorokhodov, V., see Inard, D. 243 (1999) 305
- Terstegen, F., see Falzewski, S. 243 (1999) 179
- Trommsdorff, H.P., see Brougham, D.F. 243 (1999) 189
- Umanskii, S.Y., see Lozovoy, V.V. 243 (1999) 97

- Vahtras, O., see Engström, M. 243 (1999) 263
- Vetchinkin, A.S., see Lozovoy, V.V. 243 (1999) 97
- Vlad, M.O., J. Ross and A. Plonka, Reaction volume statistics for rate processes in disordered systems. Thermodynamic analogies and extracting information from experimental data 243 (1999) 273
- Wang, B., H. Hou and Y. Gu, Water-catalyzed mechanism for the pyrolysis of formic acid 243 (1999) 27
- Willart, J.F., see Kuchta, B. 243 (1999) 169
- Wortmann, R., S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz, Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited 243 (1999) 295
- Wu, W., see Cao, Z. 243 (1999) 209
- Xian, H., see Cao, Z. 243 (1999) 209
- Zhang, Q., see Cao, Z. 243 (1999) 209

Subject index

Methods and constructs

Theoretical

Computational methods for electronic structure

- Accurate Gaussian basis sets for second-row atoms and ions generated with the improved generator coordinate Hartree–Fock method, E.V.R. de Castro, F.E. Jorge and J.C. Pinheiro 243 (1999) 1
- Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
- Molecular orbital models of benzene, biphenyl and the oligophenylenes, R.J. Bursill, W. Barford and H. Daly 243 (1999) 35
- Calculation of the differential photoionization cross-section of PH_3 , V. Carravetta and I. Cacelli 243 (1999) 77
- An ab initio molecular orbital study of the electronic spectrum and dissociation features of Li_2F , Z. Cao, H. Xian, W. Wu and Q. Zhang 243 (1999) 209
- Ab initio calculations for $(\text{BrO})_2$ system and quasiclassical dynamics study of BrO self-reaction, D. Papayannis, A.M. Kosmas and V.S. Melissas 243 (1999) 249
- Hartree-Fock linear response calculations of g -tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263

-CI and valence bond approach

- Inner-shell excitations of water molecule, A.B. Rocha and C.E. Bielschowsky 243 (1999) 9

-perturbative and many body approaches

- Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
- Water-catalyzed mechanism for the pyrolysis of formic acid, B. Wang, H. Hou and Y. Gu 243 (1999) 27

Semiempirical methods

- Molecular orbital models of benzene, biphenyl and the oligophenylenes, R.J. Bursill, W. Barford and H. Daly 243 (1999) 35
- Dual fluorescence of 2-(4'- N,N -dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45
- X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of tri-organophosphinechalcogenides, C. Engemann, R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen 243 (1999) 61

Wavefunctions for highly excited and unbound states

- Calculation of the differential photoionization cross-section of PH_3 , V. Carravetta and I. Cacelli 243 (1999) 77
- Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89

Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)

- Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97
- Chain-length dependence of the optical properties of a series of push–pull polyenes: application to doped photorefractive polymers, A. Fort, J. Muller and L. Mager 243 (1999) 115
- On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215

Collisional and reactive molecular dynamics with non-frictional forces

- Ab initio calculations for $(\text{BrO})_2$ system and quasiclassical dynamics study of BrO self-reaction, D. Papayannis, A.M. Kosmas and V.S. Melissas 243 (1999) 249

Reactive molecular dynamics including dissipative processes

- Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123
- Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137

Quasiparticle dynamics (incl. excitons, polarons)

- Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149

Statistical computational methods (incl. Monte Carlo)

- Kinetic study of the electron transfer process between $\text{Ru}(\text{NH}_3)_5\text{pz}^{2+}$ and $\text{S}_2\text{O}_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159
- Reducing quasi-ergodicity in Monte Carlo simulations of the plastic phase of the cyanoadamantane crystal, B. Kuchta, M. Descamps and J.F. Willart 243 (1999) 169

Dynamics of structures, lattices and macromolecular conformations

- Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buß 243 (1999) 179

Non-equilibrium statistical mechanics

- Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137

Equilibrium statistical mechanics and thermodynamics

- Reaction volume statistics for rate processes in disordered systems. Thermodynamic analogies and extracting information from experimental data, M.O. Vlad, J. Ross and A. Plonka 243 (1999) 273

Time and space correlation functions

- Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
- Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229

Experiment*Magnetic resonances*

- A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff 243 (1999) 189
- Hartree-Fock linear response calculations of g -tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263

Molecular spectroscopy

- Molecular orbital models of benzene, biphenyl and the oligophenylenes, R.J. Bursill, W. Barford and H. Daly 243 (1999) 35
- Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229
- Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295
- $E0_g^+ \rightarrow A1_u$ and $E0_g^+ \rightarrow B''1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305

-Raman

- Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile, E. Marri, A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini 243 (1999) 323

-UV

- Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buß 243 (1999) 179

-visible

- Molecular orbital models of benzene, biphenyl and the oligophenylenes, R.J. Bursill, W. Barford and H. Daly 243 (1999) 35
- Nonphotochemical hole burning in Zn-TBP/PMMA. Unusual burning kinetics and very narrow holewidth limit, J. Müller, O.V. Khodykin, D. Haarer and B.M. Kharlamov 243 (1999) 201

Photon counting and phase fluorimetry

- Dual fluorescence of 2-(4'-N,N-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45

X-ray spectroscopy

- X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of tri-organophosphinechalcogenides, C. Engemann, R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen 243 (1999) 61

Laser induced fluorescence

- $E0_g^+ \rightarrow A1_u$ and $E0_g^+ \rightarrow B''1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305

Ultrafast measurements

- Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97

Nonlinear optics and spectroscopy

- Chain-length dependence of the optical properties of a series of push-pull polyenes: application to doped photorefractive polymers, A. Fort, J. Muller and L. Mager 243 (1999) 115
Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149

Synchrotron spectroscopies

- Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene, D.M.P. Holland and D.A. Shaw 243 (1999) 333

X-ray, electron and neutron diffraction

- Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buß 243 (1999) 179

Measurement of macroscopic variables

- Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123

Objects**Bulk systems***Gases*

- Inner-shell excitations of water molecule, A.B. Rocha and C.E. Bielschowsky 243 (1999) 9
Water-catalyzed mechanism for the pyrolysis of formic acid, B. Wang, H. Hou and Y. Gu 243 (1999) 27

- Calculation of the differential photoionization cross-section of PH_3 , V. Carravetta and I. Cacelli 243 (1999) 77
- Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
- Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97
- Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
- $\text{E}0_g^+ \rightarrow \text{A}1_u$ and $\text{E}0_g^+ \rightarrow \text{B}''1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305
- Liquids neat*
- Dual fluorescence of 2-(4'-N,N-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45
- Liquid mixtures and solutions*
- Kinetic study of the electron transfer process between $\text{Ru}(\text{NH}_3)_5\text{pz}^{2+}$ and $\text{S}_2\text{O}_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159
- Hartree-Fock linear response calculations of g-tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263
- Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295
- Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile, E. Marri, A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini 243 (1999) 323
- Crystals*
- Reducing quasi-ergodicity in Monte Carlo simulations of the plastic phase of the cyanoadamantane crystal, B. Kuchta, M. Descamps and J.F. Willart 243 (1999) 169
- neat*
- Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149
- Glasses*
- Nonphotochemical hole burning in Zn-TBP/PMMA. Unusual burning kinetics and very narrow holewidth limit, J. Müller, O.V. Khodykin, D. Haarer and B.M. Kharlamov 243 (1999) 201
- Polymers*
- Chain-length dependence of the optical properties of a series of push–pull polyenes: application to doped photorefractive polymers, A. Fort, J. Muller and L. Mager 243 (1999) 115

Biological systems

- Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123

Microscopic and mesoscopic systems*Single atoms, molecules and assemblies (incl. biological)*

- Accurate Gaussian basis sets for second-row atoms and ions generated with the improved generator coordinate Hartree–Fock method, E.V.R. de Castro, F.E. Jorge and J.C. Pinheiro 243 (1999) 1
- Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97
- Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin 243 (1999) 123
- On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215

Molecules (neutral and ionic)

- Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
- Dual fluorescence of 2-(4'-N,N-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra 243 (1999) 45
- X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of tri-organophosphinechalcogenides, C. Engemann, R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen 243 (1999) 61
- An ab initio molecular orbital study of the electronic spectrum and dissociation features of Li_2F , Z. Cao, H. Xian, W. Wu and Q. Zhang 243 (1999) 209

-diatomic

- Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
- $\text{E}0_g^+ \rightarrow \text{A}1_u$ and $\text{E}0_g^+ \rightarrow \text{B}''1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305

-small polyatomics

- Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera 243 (1999) 17
- Calculation of the differential photoionization cross-section of PH_3 , V. Carravetta and I. Cacelli 243 (1999) 77
- Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
- A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene, D.M.P. Holland and D.A. Shaw 243 (1999) 333

- Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile, E. Marri, A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini

243 (1999) 323

-aromatics

- Hartree-Fock linear response calculations of *g*-tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren

243 (1999) 263

-other large

- Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera

243 (1999) 17

- Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buß

243 (1999) 179

*Molecular aggregates**-dimers*

- A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff

243 (1999) 189

- Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau

243 (1999) 229

-van der Waals molecules

- Ab initio calculations for (BrO)₂ system and quasiclassical dynamics study of BrO self-reaction, D. Papayannis, A.M. Kosmas and V.S. Melissas

243 (1999) 249

-complexes

- Water-catalyzed mechanism for the pyrolysis of formic acid, B. Wang, H. Hou and Y. Gu

243 (1999) 27

Quasiparticles (incl. excitons)

- Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami

243 (1999) 149

Defects and impurities

- A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff

243 (1999) 189

Ions and charge carriers

- Accurate Gaussian basis sets for second-row atoms and ions generated with the improved generator coordinate Hartree-Fock method, E.V.R. de Castro, F.E. Jorge and J.C. Pinheiro

243 (1999) 1

Phenomena*Molecular structure*

- Effect of protonation on the atomic and bond properties of the carbonyl group in aldehydes and ketones, A.M. Graña and R.A. Mosquera

243 (1999) 17

- Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buß 243 (1999) 179
- Hartree-Fock linear response calculations of g -tensors of substituted benzene radicals, M. Engström, O. Vahtras and H. Ågren 243 (1999) 263
- $E0_g^+ \rightarrow A1_u$ and $E0_g^+ \rightarrow B''1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305
- Electronic structure and states*
- Inner-shell excitations of water molecule, A.B. Rocha and C.E. Bielschowsky 243 (1999) 9
- Molecular orbital models of benzene, biphenyl and the oligophenylenes, R.J. Bursill, W. Barford and H. Daly 243 (1999) 35
- X-ray absorption near-edge spectroscopy (XANES) at the phosphorus K-edge of tri-organophosphinechalcogenides, C. Engemann, R. Franke, J. Hormes, C. Lauterbach, E. Hartmann, J. Clade and M. Jansen 243 (1999) 61
- An ab initio molecular orbital study of the electronic spectrum and dissociation features of Li_2F , Z. Cao, H. Xian, W. Wu and Q. Zhang 243 (1999) 209
- A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene, D.M.P. Holland and D.A. Shaw 243 (1999) 333
- Optical activity*
- Structure and dynamics of helically twisted cyanine dyes, S. Falzewski, F. Terstegen and V. Buß 243 (1999) 179
- Molecular interactions*
- Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
- Spectral bandshapes and intensities*
- Perturbation approach to depolarized Rayleigh band shape theory corrected for collision-induced coherence: applications to hydrogen and deuterium, A.P. Kouzov and J.V. Buldyreva 243 (1999) 137
- Temperature dependence of fullerene electroabsorption spectra – model calculations, P. Petelenz, M. Andrzejak, S. Kazaoui and N. Minami 243 (1999) 149
- Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229
- Isotopic and chemical dilution effects on the vibrational relaxation rate of some totally symmetric motions of liquid acetonitrile, E. Marri, A. Morresi, G. Paliani, R.S. Cataliotti and M.G. Giorgini 243 (1999) 323
- Coupling of electronic and nuclear motion*
- Kinetic study of the electron transfer process between $Ru(NH_3)_5pz^{2+}$ and $S_2O_8^{2-}$ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159

Energy transfer processes

- $E0_g^+ \rightarrow A1_u$ and $E0_g^+ \rightarrow B''1_u$ laser-induced fluorescence in molecular iodine recorded by Fourier-transform spectroscopy, D. Inard, D. Cerny, M. Nota, R. Bacis, S. Churassy and V. Skorokhodov 243 (1999) 305

Molecular photophysical processes

- Nonphotochemical hole burning in Zn-TBP/PMMA. Unusual burning kinetics and very narrow holewidth limit, J. Müller, O.V. Khodykin, D. Haarer and B.M. Kharlamov 243 (1999) 201
- On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215
- A study of the valence-shell photoabsorption, photodissociation and photoionisation cross-sections of allene, D.M.P. Holland and D.A. Shaw 243 (1999) 333

Photochemistry

- Photodissociation of some simple nitriles in the extreme vacuum ultraviolet region, K. Kanda, T. Nagata and T. Ibuki 243 (1999) 89
- Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295

*Intramolecular dynamics**-vibrational energy redistribution (incl. vibrational dissociation)*

- Linear response theory and IR spectral density of direct damped weak H-bonds: validity of adiabatic approximation, P. Blaise and O. Henri-Rousseau 243 (1999) 229

Luminescence spectra, yields and lifetimes

- Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz 243 (1999) 295

Nonlinear responses (incl. optical)

- Coherent control of the molecular iodine vibrational dynamics by chirped femtosecond light pulses: theoretical simulation of the pump-probe experiment, V.V. Lozovoy, O.M. Sarkisov, A.S. Vetchinkin and S.Y. Umanskii 243 (1999) 97
- Kinetic study of the electron transfer process between $Ru(NH_3)_5pz^{2+}$ and $S_2O_8^{2-}$ in water-cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo 243 (1999) 159
- On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath 243 (1999) 215

Multiphoton phenomena

On the control of the populations of atomic states through the use of a static electric field, pulsed lasers, and competing two-photon excitation mechanisms, A.E. Kondo, A. Salam and W.J. Meath

243 (1999) 215

*Reactions (incl. dissociation)**-collisional*

Ab initio calculations for (BrO)₂ system and quasiclassical dynamics study of BrO self-reaction, D. Papayannis, A.M. Kosmas and V.S. Melissas

243 (1999) 249

Tunneling

A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff

243 (1999) 189

Electron transfer

Dual fluorescence of 2-(4'-N,N-dimethylaminophenyl)benzoxazole: effect of solvent and pH, G. Krishnamoorthy and S.K. Dogra

243 (1999) 45

Relaxation times of a dissipative two-state system for a resonance treatment. Application to electron transfer reactions, T. Cheche and S.H. Lin

243 (1999) 123

Kinetic study of the electron transfer process between Ru(NH₃)₅pz²⁺ and S₂O₈²⁻ in water–cosolvent mixtures: a new component of reorganization energy, F. Sánchez, A. Rodríguez, F. Muriel, J. Burgess and P. López-Cornejo

243 (1999) 159

Proton and hydrogen atom transfer

A field-cycling NMR relaxometry investigation of proton tunnelling in a partially disordered system of hydrogen bonds, D.F. Brougham, A.J. Horsewill and H.P. Trommsdorff

243 (1999) 189

Spectral and electrooptical absorption and emission studies on internally hydrogen bonded benzoxazole 'double' derivatives: 2,5-bis(benzoxazolyl)hydroquinone (BBHQ) and 3,6-bis(benzoxazolyl)pyrocatechol (BBPC). Single versus double proton transfer in the excited BBPC revisited, R. Wortmann, S. Lebus, H. Reis, A. Grabowska, K. Kownacki and S. Jarosz

243 (1999) 295

Ionization (incl. Rydberg states)

Calculation of the differential photoionization cross-section of PH₃, V. Carravetta and I. Cacelli

243 (1999) 77

*Surface chemical physics**-catalysis*

Water-catalyzed mechanism for the pyrolysis of formic acid, B. Wang, H. Hou and Y. Gu

243 (1999) 27

Electronic process in gases

Inner-shell excitations of water molecule, A.B. Rocha and C.E. Bielschowsky

243 (1999) 9

Thermodynamic and transport properties

Reaction volume statistics for rate processes in disordered systems. Thermodynamic analogies and extracting information from experimental data, M.O. Vlad, J. Ross and A. Plonka

243 (1999) 273

Structure of solids, liquids and glasses

Reducing quasi-ergodicity in Monte Carlo simulations of the plastic phase of the cyanoadamantane crystal, B. Kuchta, M. Descamps and J.F. Willart

243 (1999) 169